

• ERJA10 Economic Round Leg J Series Aluminum 10 Style Tripod

Economic Lightwave Tripod.




Flat Head

1) ERJA10-FAT:

Flat Head OD126mm, Twist Lock, 960-1600mm, 2.20Kg

2) ERJA10-FAD:

Flat Head OD126mm, Dual Lock, 960-1500mm, 2.70Kg



Dome Head

1) ERJA10-DAT:

Dome Head OD126mm, Twist Lock, 960-1600mm, 2.20Kg

2) ERJA10-DAD:

Dome Head OD126mm, Dual Lock, 960-1500mm, 2.70Kg



Big Round Head

1) ERJA10-BAT:

Big Round Head OD133mm, Twist Lock, 960-1600mm, 2.30Kg

2) ERJA10-BAD:

Big Round Head OD133mm, Dual Lock, 960-1500mm, 2.80Kg

• RJA10 Round Leg J Series Aluminum 10 Style Tripod

Lightwave Triod.



Flat Head

1) RJA10-FAT:

Flat Head OD126mm, Twist Lock, 960-1600mm, 2.70Kg

2) RJA10-FAD:

Flat Head OD126mm, Dual Lock, 960-1500mm, 3.30Kg




Dome Head

1) RJA10-DAT:

Dome Head OD126mm, Twist Lock, 960-1600mm, 2.70Kg

2) RJA10-DAD:

Dome Head OD126mm, Dual Lock, 960-1500mm, 3.30Kg



Big Round Head

1) RJA10-BAT:


Big Round Head OD133mm, Twist Lock, 960-1600mm, 2.80Kg

2) RJA10-BAD:

Big Round Head OD133mm, Dual Lock, 960-1500mm, 3.40Kg

• RJA20 Round Leg J Series Aluminum 20 Style Tripod

Medium Duty Tripod
Self-Locking System for Option.



Flat Head

1) RJA20-FAT:

Flat Head OD160mm, Twist Lock, 1010-1700mm, 3.70Kg

2) RJA20-FAD:

Flat Head OD160mm, Dual Lock, 1010-1600mm, 4.30Kg



Dome Head

1) RJA20-DAT:

Dome Head OD160mm, Twist Lock, 1010-1700mm, 3.70Kg

2) RJA20-DAD:

Dome Head OD160mm, Dual Lock, 1010-1600mm, 4.30Kg



Big Round Head

1) RJA20-BAT:

Big Round Head OD165mm, Twist Lock, 1010-1700mm, 3.80Kg

2) RJA20-BAD:

Big Round Head OD165mm, Dual Lock, 1010-1600mm, 4.40Kg

Self-Locking
For Option

• RJA30 Round Leg J Series Aluminum 30 Style Tripod

Heavy Duty Tripod
Equipped with Self-Locking System.



Flat Head

1) RJA30-FAT:

Flat Head OD160mm, Twist Lock, 1070-1800mm, 4.90Kg

2) RJA30-FAD:

Flat Head OD160mm, Dual Lock, 1070-1700mm, 5.50Kg



Big Round Head

1) RJA30-BAT:

Big Round Head OD165mm, Twist Lock, 1070-1800mm, 5.10Kg

2) RJA30-BAD:

Big Round Head OD165mm, Dual Lock, 1070-1700mm, 5.70Kg

Self-Locking

• RTA10 Round Leg T Series Aluminum 10 Style Tripod

Lightwave High Quality Tripod
Self-Locking System for Option.



Flat Head

1) RTA10-FCT:

Flat Head OD140mm, Copper Center Screw, Twist Lock, 1010-1700mm, 3.10Kg

1) RTA10-FCD:

Flat Head OD140mm, Copper Center Screw, Dual Lock, 1010-1700mm, 3.70Kg

• RTA20 Round Leg T Series Aluminum 20 Style Tripod

Medium Duty High Quality Tripod
Equipped with Self-Locking System.



Flat Head

1) RTA20-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1040-1730mm, 3.80Kg

2) RTA20-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1040-1670mm, 4.40Kg




Dome Head

1) RTA20-DCT:

Dome Head OD160mm, Copper Center Screw, Twist Lock, 1040-1730mm, 3.80Kg

2) RTA20-DCD:

Dome Head OD160mm, Copper Center Screw, Dual Lock, 1040-1670mm, 4.40Kg



Big Round Head

1) RTA20-BCT:

Big Round Head OD165mm, Copper Center Screw, Twist Lock, 1040-1730mm, 3.90Kg

2) RTA20-BCD:

Big Round Head OD165mm, Copper Center Screw, Dual Lock, 1040-1670mm, 4.50Kg

• RTA20S Round Leg T Series Aluminum 20 Style Sokkia Color Tripod

Medium Duty High Quality Tripod
Equipped with Self-Locking System.



Flat Head

1) RTA20S-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1040-1730mm, 3.80Kg

2) RTA20S-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1040-1670mm, 4.40Kg




Dome Head

1) RTA20S-DCT:

Dome Head OD160mm, Copper Center Screw, Twist Lock, 1040-1730mm, 3.80Kg

2) RTA20S-DCD:

Dome Head OD160mm, Copper Center Screw, Dual Lock, 1040-1670mm, 4.40Kg



Big Round Head

1) RTA20S-BCT:

Big Round Head OD165mm, Copper Center Screw, Twist Lock, 1040-1730mm, 3.90Kg

2) RTA20S-BCD:

Big Round Head OD165mm, Copper Center Screw, Dual Lock, 1040-1670mm, 4.50Kg

• STA30 Square Leg T Series Aluminum 30 Style Tripod

Heavy Duty High Quality Tripod
Equipped with Self-Locking System.



Flat Head

1) STA30-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1050-1740mm, 4.80Kg

2) STA30-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1050-1680mm, 5.40Kg



Dome Head

1) STA30-DCT:

Dome Head OD160mm, Copper Center Screw, Twist Lock, 1050-1740mm, 4.80Kg

2) STA30-DCD:

Dome Head OD160mm, Copper Center Screw, Dual Lock, 1050-1680mm, 5.40Kg



Big Round Head

1) STA30-BCT:


Big Round Head OD165mm, Copper Center Screw, Twist Lock, 1050-1740mm, 4.90Kg

2) STA30-BCD:

Big Round Head OD165mm, Copper Center Screw, Dual Lock, 1050-1680mm, 5.50Kg

• STA30B Square Leg T Series Aluminum 30B Style Tripod

High Quality Aluminum Tripod



Flat Head

1) STA30B-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1040-1690mm, 4.00Kg

2) STA30B-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1040-1610mm, 4.55Kg

• GST103 Leica Original Aluminum Tripod

Original Style



Flat Head

1) GST103-FCT:


Flat Head OD160mm, Copper Center Screw, Twist Lock, 1030-1660mm, 4.40Kg

2) GST103-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1030-1600mm, 5.00Kg

• PFA1 Sokkia Original Aluminum Tripod

Original Style



Flat Head

1) PFA1-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1045-1700mm, 3.80Kg



Dome Head

1) PFA1-DCT:

Dome Head OD160mm, Copper Center Screw, Twist Lock, 1045-1700mm, 3.80Kg

• TP110 Topcon Aluminum Tripod

Topcon Aluminum Tripod
Equipped with Self-Locking System.



Flat Head

1) TP110-FAT:

Flat Head OD160mm, Twist Lock, 1010-1700mm, 3.30Kg

2) TP110-FAD:


Flat Head OD160mm, Dual Lock, 1010-1640mm, 4.0Kg



Self-Locking

• TP210 Topcon Original Aluminum Tripod

Original Style



Flat Head

1) TP210-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1000-1675mm, 3.90Kg

2) TP210-DCT:

Dome Head OD160mm, Copper Center Screw, Twist Lock, 1000-1675mm, 3.90Kg

• LAN Myzox Original Aluminum Tripod

Original Style



Flat Head

1) LAN-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1040-1710mm, 3.75Kg

2) LAN-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1040-1640mm, 4.30Kg



Dome Head

1) LAN-DCT:

Dome Head OD160mm, Copper Center Screw, Twist Lock, 1040-1710mm, 3.75Kg

2) LAN-DCD:

Dome Head OD160mm, Copper Center Screw, Dual Lock, 11040-1640mm, 4.30Kg

• LANS Myzox Original Aluminum Tripod

Original Style



Flat Head

1) LANS-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1040-1710mm, 3.75Kg

2) LANS-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1040-1640mm, 4.30Kg



Dome Head

1) LANS-DCD:


Dome Head OD160mm, Copper Center Screw, Twist Lock, 1040-1710mm, 3.75Kg

2) LANS-DCD:

Dome Head OD160mm, Copper Center Screw, Dual Lock, 11040-1640mm, 4.30Kg

• GAT Myzox Original Aluminum Tripod

Original Style



Flat Head

1) GAT-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1060-1750mm, 4.20Kg



Dome Head

1) GAT-DCT:

Dome Head OD160mm, Copper Center Screw, Twist Lock, 1060-1750mm, 4.20Kg

• RJW30 Round Leg J Series Wooden 30 Style Tripod

Heavy Duty Economic Wooden Tripod.



Flat Head

1) RJW30- FCT:

Flat Head OD160mm, Twist Lock, 1080-1750mm, 6.20Kg

2) RJW30- FCD:

Flat Head OD160mm, Dual Lock, 1080-1660mm, 6.90Kg




Dome Head

1) RJW30- DCT:

Dome Head OD160mm, Twist Lock, 1080-1750mm, 6.20Kg

2) RJW30- DCD:

Dome Head OD160mm, Dual Lock, 1080-1660mm, 6.90Kg



Big Round Head

1) RJW30- BCT:


Big Round Head OD165mm, Twist Lock, 1080-1750mm, 6.40Kg

2) RJW30- BCD:

Big Round Head OD165mm, Dual Lock, 1080-1660mm, 7.20Kg

• RTW20 Round Leg T Series Wooden 20 Style Tripod

Medium Duty High Quality Wooden Tripod.



Flat Head

1) RTW20-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1060-1725mm, 6.00Kg

2) RTW20-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1060-1675mm, 6.70Kg



Big Round Head

1) RTW20-BCT:


Big Round Head OD165mm, Copper Center Screw, Twist Lock, 1060-1725mm, 6.30Kg

2) RTW20-BCD:

Big Round Head OD165mm, Copper Center Screw, Dual Lock, 1060-1675mm, 7.00Kg

• RTW30 Round Leg T Series Wooden 30 Style Tripod

Heavy Duty High Quality Wooden Tripod.




Flat Head

1) RTW30-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1190-1900mm, 6.90Kg

2) RTW30-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1190-1850mm, 7.60Kg



Big Round Head

1) RTW30-BCT:

Big Round Head OD165mm, Copper Center Screw, Twist Lock, 1190-1900mm, 7.20Kg

2) RTW30-BCD:

Big Round Head OD165mm, Copper Center Screw, Dual Lock, 1190-1850mm, 7.90Kg

• DW-1 Topcon Original Wooden Tripod

Original Style



Flat Head

1) DW-1-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1100-1760mm, 6.95Kg

2) DW-1-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1100-1735mm, 7.60Kg

• PFW1 Sokkia Original Wooden Tripod

Original Style



Flat Head

1) PFW1-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1090-1700mm, 6.60Kg

• C-TS2 Pentax Original Wooden Tripod

Original Style



Flat Head

1) C-TS2-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1100-1760mm, 6.95Kg

2) C-TS2-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1100-1735mm, 7.60Kg

• GST20-9 Leica Wooden Tripod

Heavy Duty High Quality Wooden Tripod.



Flat Head

1) GST20-9-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1090-1810mm, 5.90Kg

• GST120-9 Leica Wooden Tripod

Heavy Duty High Quality Wooden Tripod
Equipped with Self-Locking System.



Flat Head

1) GST120-9-FCT:


Flat Head OD160mm, Copper Center Screw, Twist Lock, 1090-1810mm, 5.95Kg



Self-Locking

• RTF20 Round Leg T Series Fiberglass 20 Style Tripod

Medium Duty High Quality Fiberglass Tripod




Flat Head

1) RTF20-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1070-1725mm, 5.00Kg

2) RTF20-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1070-1650mm, 5.60Kg



Big Round Head

1) RTF20-BCT:


Big Round Head OD165mm, Copper Center Screw, Twist Lock, 1070-1725mm, 5.15Kg

2) RTF20-BCD:

Big Round Head OD165mm, Copper Center Screw, Dual Lock, 1070-1650mm, 5.85Kg

• RTF30A Round Leg T Series Fiberglass 30 Style Tripod

Heavy Duty High Quality Fiberglass Tripod



Flat Head

1) RTF30A-FCT:

Flat Head OD160mm, Copper Center Screw, Twist Lock, 1113-1830mm, 7.00Kg

2) RTF30A-FCD:

Flat Head OD160mm, Copper Center Screw, Dual Lock, 1113-1780mm, 7.70Kg



Big Round Head

1) RTF30A-BCT:


Big Round Head OD165mm, Copper Center Screw, Twist Lock, 1113-1830mm, 7.20Kg

2) RTF30A-BCD:

Big Round Head OD165mm, Copper Center Screw, Dual Lock, 1113-1780mm, 7.90Kg

• RTF30B Round Leg T Series Fiberglass 30B Style Tripod

Heavy Duty High Quality Fiberglass Tripod



Big Round Head

1) RTF30B-BCT:

Big Round Head OD165mm, Copper Center Screw, Twist Lock, 1170-1900mm, 7.80Kg

2) RTF30B-BCD:

Big Round Head OD165mm, Copper Center Screw, Dual Lock, 1170-1850mm, 8.55Kg

• RTF30CA Round Leg T Series Fiberglass 30C Style Tripod

Tri-max Heavy Duty High Quality Fiberglass Tripod



Big Round Head

1) RTF30C-BCT:

Big Round Head OD165mm, Copper Center Screw, Twist Lock, 1170-1900mm, 8.00Kg

2) RTF30C-BCD:

Big Round Head OD165mm, Copper Center Screw, Dual Lock, 1170-1850mm, 9.60Kg

• ETT20A-180



Elevator Tripod

- Full Closed: 820mm
- Full Extended: 1940mm
- Elevating Range: 300mm
- Working Height: 680-1800mm
- Weight: 2.30kg

• ETT20A-250



Elevator Tripod

- Full Closed: 830mm
- Full Extended: 2600mm
- Elevating Range: 300mm
- Working Height: 740-2400mm
- Weight: 2.60kg

• ETT20A-300



Elevator Tripod

- Full Closed: 860mm
- Full Extended: 3050mm
- Elevating Range: Inner/Outer 600/540mm
- Working Height: 800-2850mm
- Weight: 2.90kg

• ETT20B-300



Elevator Tripod

- Full Closed: 700mm
- Full Extended: 2720mm
- Elevating Range: 530x2mm
- Working Height: 600-2600mm
- Weight: 3.80kg

• ETT20C-300



Elevator Tripod

- Full Closed: 1000mm
- Full Extended: 3120mm
- Elevating Range: Inner/Outer 430/360mm
- Working Height: 900-2920mm
- Weight: 4.30kg

• ETT20D-300



Elevator Tripod

- Full Closed: 1030mm
- Full Extended: 3240mm
- Elevating Range: Inner/Outer 430/360mm
- Working Height: 950-3000mm
- Weight: 5.35kg

• ETT30-170



Elevator Tripod

- Full Closed: 730mm
- Full Extended: 1700mm
- Elevating Range: Inner/Outer 410/420mm
- Working Height: 660-1600mm
- Weight: 5.40kg

• ETT30-240/300/350



Elevator Tripod

- Full Closed: 990/1230/1330mm
- Full Extended: 2440/3000/3500mm
- Working Height: 900-2300mm(240)
- Working Height: 1100-2700mm(300)
- Working Height: 1200-3300mm(350)
- Weight: 6.10/6.50/7.50kg

• ETT30-400S



Elevator Tripod

- Full Closed: 1650mm
- Full Extended: 4150mm
- Elevating Range: Inner/Outer 730/760mm
- Working Height: 1570-4000mm
- Weight: 8.60kg

• ETJ30-240



Elevator Tripod

- Full Closed: 1090mm
- Full Extended: 2400mm
- Elevating Range: 700mm
- Working Height: 1000-2230mm
- Weight: 4.95kg

• ETJ30-300



Elevator Tripod

- Full Closed: 1150mm
- Full Extended: 3240mm
- Elevating Range: Inner/Outer 780/700mm
- Working Height: 1040-3050mm
- Weight: 5.25kg

• ETJ30-350



Elevator Tripod

- Full Closed: 1250mm
- Full Extended: 3440mm
- Elevating Range: Inner/Outer 780/700mm
- Working Height: 1120-3240mm
- Weight: 5.45kg

• LET-S



Myzox Elevator Tripod

- Full Closed: 440mm
- Full Extended: 1340mm
- Elevating Range: 250mm
- Working Height: 410-1260mm
- Weight: 0.60kg

• LET-B



Myzox Elevator Tripod

- Full Closed: 640mm
- Full Extended: 1800mm
- Elevating Range: 300mm
- Working Height: 610-1700mm
- Weight: 1.40kg

• LET-C



Myzox Elevator Tripod

- Full Closed: 600mm
- Full Extended: 1500mm
- Elevating Range: 240mm
- Working Height: 530-1390mm
- Weight: 2.45kg

• NEL-18SL



Myzox Dust-proof Type Elevator Tripod

- Full Closed: 820mm
- Full Extended: 1940mm
- Elevating Range: 300mm
- Working Height: 680-1800mm
- Weight: 2.30kg

• NEL-33SL



Myzox Dust-proof Type Elevator Tripod

- Full Closed: 1030mm
- Full Extended: 1735mm
- Elevating Range: 330mm
- Working Height: 900-1500mm
- Weight: 6.20kg

• NEL-60SL



Myzox Graduated Type Elevator Tripod

- Full Closed: 1050mm
- Full Extended: 1920mm
- Elevating Range: 530mm
- Working Height: 900-1700mm
- Weight: 6.05kg